SD180425-012 page 1 of 1

PharmLabs San Diego Certificate of Analysis

Sample AF PAK

Delta9 THC 18.71% Total THC (THC + THCa) 18.71%

Sample ID SD180425-012 (254	53)	Matrix Flower (Inhalable Cannabis Good)
Tested for Rodriguez Alberto		
Sampled -	Received Apr 25, 2018	Reported Apr 27, 2018
Analyses executed CAN+, MW	A, PHOTO	

* CAN+ - Cannabinoids Analysis Analyzed Apr 27, 2018 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately **J**.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Sample photography	
Cannabidivarin (CBDV)	0.039	0.16	NT	NT		
Cannabidiolic Acid (CBDA)	0.001	0.16	NT	NT		
Cannabigerol Acid (CBGA)	0.001	0.16	NT	NT		
Cannabigerol (CBG)	0.001	0.16	NT	NT		
Cannabidiol (CBD)	0.001	0.16	0.04	0.39		
Tetrahydrocannabivarin (THCV)	0.001	0.16	NT	NT	ALL THE	
Cannabinol (CBN)	0.001	0.16	0.04	0.42	133600	
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	18.71	187.07	arm it it allow a	
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	NT	NT		
Cannabicyclol (CBL)	0.002	0.16	NT	NT	S. A.	
Cannabichromene (CBC)	0.002	0.16	NT	NT		
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	NT	NT		
Total THC (THCa ⁺ 0.877 + Δ 9THC)			18.71	187.07		
Total Cannabinoids Analyzed			18.79	187.88		

MWA - Moisture Content & Water Activity Analysis Analyzed Apr 27, 2018 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD %	LOQ %	Result	Limit	Analyte	LOD %	LOQ %	Result	Limit
Moisture (Moi)	0.0	0.0	8.2 % Mw	13 % Mw	Water Activity (WA)	0.03	0.03	NT	0.85

Pharm//are CANNABIS LABORATORY LIMS & ELN



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Authorized Signature

Jaclyn Mauser - Lab Director Fri, 27 Apr 2018 12:26:33 -0700

QA Testing



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 This report shall got be reproduced except in full, without the written approval of the lab. This report is for informational purpose only and should not be used to plagnage, treat or prevent any disease. Results are only for samples and batches indicated. Results or reported on an 6s received bass, onlies indicated otherwise, when a disease the state of the customer to be in compliance. The measurement of uncertainty is ontincible upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is reported. Results are reported on uncertainty is not included upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is reported. Results are reported on uncertainty is not included upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance and the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status