SD180416-025 page 1 of 1

(6aR,9R)- Δ 10-Tetrahydrocannabinol ((6aR,9R)- Δ 10)


Tetrahydrocannabinolic Acid (THCA)

Total THC (THCa * 0.877 + **Δ**9THC)

Total Cannabinoids Analyzed

PharmLabs San Diego Certificate of Analysis

Sample Distillate



Sample ID SD180416-025 (30701)		Matrix Distillate - NI (Other Cannabis Good)					
Tested for Landry Kevin							
Sampled -	Received Apr 16, 2018	Received Apr 16, 2018 Reported Apr 19, 2018					
Analyses executed CAN	Unit Mass (g) 0.0						
CAN - Cannabinoids / Analyzed Apr 19, 2018 Instrument HPLC: The expanded Uncertainty of the Cannabi Analyte		LOD	LOQ	Result	Result	Result	
Andigte		mg/g	mg/̃g	%	mg/g	mg/Unit	
Cannabidiolic Acid (CBDA)		0.001	0.16	NT	NT	NT	
Cannabigerol (CBG)		0.001	0.16	1.85	18.51	0.00	
Cannabidiol (CBD)		0.001	0.16	0.14	1.44	0.00	
Cannabinol (CBN)		0.001	0.16	1.14	11.38	0.00	
Tetrahydrocannabinol (Δ9-THC)		0.003	0.16	79.92	799.20	0.00	
Δ8-tetrahydrocannabinol (Δ8-THC)		0.004	0.16	NT	NT	NT	

0.007

0.001

0.16

0.16

NT

NT

79.92

83.05

NT

NT

799.20

830.53

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Otenctification <LOQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colong forming Units per 1 gram TNTC Too Numerous to Count



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



uthorized Signature

Jaclyn Mauser - Lab Director Thu, 19 Apr 2018 16:07:39 -0700

NT

NT

0.00

0.00

SDPharmLabs



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 This report shall got be reproduced except in Mul, without the artiting approval of the lab. This report is for informational encroses only one dependence to glogrape, treat or prevent, any decose. Results are only for samples and botches indicated. Results are reported the Pass/Fail exception on the sample information of the lab. This report is for information of the encroses only one dependence to glogrape. The results are only for samples and botches indicated. Results are reported the Pass/Fail exception of the sample information of the encroses only one dependence to be an opported in the encryption of the encr