

PharmLabs San Diego **Certificate of Analysis**



Sample **CBD ONE** **PASS**

Delta9 THC ND **THCa ND** **Total THC (THC + THCa) ND**

COC: a1a7783a-2d33-4ed8-82ce-f69299f930c6

| | | | | | | | | | |
|---|---------------------------------|----------|---|------------------|---------------|----------------|----------|-----------------|------------|
| Sample ID | SD180621-031 (31299) | Matrix | Tincture (Other Cannabis Good) | Sample Size | 8.0 un | Batch Size | 531.0 un | Batch ID/Lot ID | N8170W876B |
| Distributor License | C12-18-0000017-TEMP | Address | 962 87th Avenue, Oakland, CA 94621-1646 | Name | The Plant LLC | | | | |
| Cultivator/Manufacturer/Microbusiness License | C12-18-0000017-TEMP | Address | 962 87th Avenue, Oakland, CA 94621-1646 | Name | The Plant LLC | | | | |
| Sampled | Jun 21, 2018 | Received | Jun 21, 2018 | Reported | Aug 06, 2018 | | | | |
| Analyses executed | CAN, RES, MIBNIG, PES, FVI, LBL | | | Unit Volume (mL) | 14.8 | Density (g/mL) | 1.0 | | |

CAN - Cannabinoids Analysis **PASS**

Analyzed Jul 26, 2018 | Instrument HPLC-VWD | Method SOP-001
 The expanded Uncertainty of the Cannabinoid analysis is approximately $\pm 8.06\%$ at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/mL | Result mg/Unit |
|--|----------|----------|----------|--------------|----------------|
| Cannabidiolic Acid (CBDA) | 0.001 | 0.16 | ND | ND | ND |
| Cannabigerol (CBG) | 0.001 | 0.16 | ND | ND | ND |
| Cannabidiol (CBD) | 0.001 | 0.16 | 1.88 | 18.84 | 278.77 |
| Cannabinol (CBN) | 0.001 | 0.16 | ND | ND | ND |
| Tetrahydrocannabinol (Δ^9 -THC) | 0.003 | 0.16 | ND | ND | ND |
| Δ^8 -tetrahydrocannabinol (Δ^8 -THC) | 0.004 | 0.16 | NT | NT | NT |
| (6aR,9S)- Δ^{10} -Tetrahydrocannabinol ((6aR,9S)- Δ^{10}) | 0.015 | 0.16 | NT | NT | NT |
| (6aR,9R)- Δ^{10} -Tetrahydrocannabinol ((6aR,9R)- Δ^{10}) | 0.007 | 0.16 | NT | NT | NT |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | ND | ND | ND |
| Total THC (THCa * 0.877 + Δ^9 THC) | | | ND | ND | ND |
| Total CBD (CBDA * 0.877 + CBD) | | | 1.88 | 18.84 | 278.77 |
| Total Cannabinoids Analyzed | | | 1.88 | 18.84 | 278.77 |

MIBNIG - Microbial Analysis **PASS**

Analyzed Jun 29, 2018 | Instrument Plating | Method SOP-007

| Analyte | LOD | LOQ | Result CFU/g | Limit | Analyte | LOD | LOQ | Result CFU/g | Limit |
|--|-----|-----|--------------|---------------|-----------------|-----|-----|--------------|---------------|
| Shiga toxin-producing Escherichia Coli | | | ND | ND per 1 gram | Salmonella spp. | | | ND | ND per 1 gram |

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

This Certificate of Analysis has not been finalized and it represents a draft until electronically signed

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
 All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for CCR 14. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis **PASS**

Analyzed Jul 10, 2018 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.0078 | 0.02 | ND | 0.0078 | Carbofuran | 0.01 | 0.02 | ND | 0.01 |
| Dimethoate | 0.01 | 0.02 | ND | 0.01 | Etofenprox | 0.02 | 0.1 | ND | 0.02 |
| Fenoxycarb | 0.01 | 0.02 | ND | 0.01 | Thiachloprid | 0.01 | 0.02 | ND | 0.01 |
| Daminozide | 0.01 | 0.03 | ND | 0.01 | Dichlorvos | 0.02 | 0.07 | ND | 0.02 |
| Imazalil | 0.02 | 0.07 | ND | 0.02 | Methiocarb | 0.01 | 0.02 | ND | 0.01 |
| Spiroxamine | 0.01 | 0.02 | ND | 0.01 | Coumaphos | 0.01 | 0.02 | ND | 0.01 |
| Fipronil | 0.01 | 0.1 | ND | 0.01 | Paclbutrazol | 0.01 | 0.03 | ND | 0.01 |
| Chlorpyrifos | 0.01 | 0.04 | ND | 0.01 | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | 0.01 |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | 0.01 | Chlordane | 0.04 | 0.1 | ND | 0.04 |
| Chlorfenapyr | 0.03 | 0.1 | ND | 0.03 | Methyl Parathion | 0.02 | 0.1 | ND | 0.02 |
| Mevinphos | 0.03 | 0.08 | ND | 0.03 | Abamectin | 0.03 | 0.08 | ND | 0.3 |
| Acephate | 0.02 | 0.05 | ND | 5 | Acetamiprid | 0.01 | 0.05 | ND | 5 |
| Azoxystrobin | 0.01 | 0.02 | ND | 40 | Bifenazate | 0.01 | 0.05 | ND | 5 |
| Bifenthrin | 0.02 | 0.35 | ND | 0.5 | Boscalid | 0.01 | 0.03 | ND | 10 |
| Carbaryl | 0.01 | 0.02 | ND | 0.5 | Chlorantraniliprole | 0.01 | 0.04 | ND | 40 |
| Clofentezine | 0.01 | 0.03 | ND | 0.5 | Diazinon | 0.01 | 0.02 | ND | 0.2 |
| Dimethomorph | 0.02 | 0.06 | ND | 20 | Etoxazole | 0.01 | 0.05 | ND | 15 |
| Fenpyroximate | 0.02 | 0.1 | ND | 2 | Flonicamid | 0.01 | 0.02 | ND | 2 |
| Fludioxonil | 0.01 | 0.05 | ND | 30 | Hexythiazox | 0.01 | 0.03 | ND | 2 |
| Imidacloprid | 0.01 | 0.05 | ND | 3 | Kresoxim-methyl | 0.01 | 0.03 | ND | 1 |
| Malathion | 0.01 | 0.05 | ND | 5 | Metalaxyl | 0.01 | 0.02 | ND | 15 |
| Methomyl | 0.02 | 0.05 | ND | 0.1 | Myclobutanil | 0.02 | 0.07 | ND | 9 |
| Naled | 0.01 | 0.02 | ND | 0.5 | Oxamyl | 0.01 | 0.02 | ND | 0.2 |
| Permethrin | 0.01 | 0.02 | ND | 20 | Phosmet | 0.01 | 0.02 | ND | 0.2 |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | 8 | Propiconazole | 0.03 | 0.08 | ND | 20 |
| Prallethrin | 0.02 | 0.05 | ND | 0.4 | Pyrethrin | 0.05 | 0.41 | ND | 1 |
| Pyridaben | 0.02 | 0.07 | ND | 3 | Spinosad A | 0.01 | 0.05 | ND | 3 |
| Spinosad D | 0.01 | 0.05 | ND | 3 | Spiromesifen | 0.02 | 0.06 | ND | 12 |
| Spirotetramat | 0.01 | 0.02 | ND | 13 | Tebuconazole | 0.01 | 0.02 | ND | 2 |
| Thiamethoxam | 0.01 | 0.02 | ND | 4.5 | Trifloxystrobin | 0.01 | 0.02 | ND | 30 |
| Acequinocyl | 0.02 | 0.09 | ND | 4 | Captan | 0.01 | 0.02 | ND | 5 |
| Cypermethrin | 0.02 | 0.1 | ND | 1 | Cyfluthrin | 0.04 | 0.1 | ND | 1 |
| Fenhexamid | 0.02 | 0.07 | ND | 10 | Spinetoram J.L | 0.02 | 0.07 | ND | 3 |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | 0.2 | | | | | |

RES - Residual Solvents Analysis **PASS**

Analyzed Jun 29, 2018 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.4 | 40.0 | ND | 5000 | Butane (But) | 0.4 | 40.0 | ND | 5000 |
| Methanol (Metha) | 0.4 | 40.0 | ND | 3000 | Ethylene Oxide (EthOx) | 0.4 | 0.8 | ND | 1 |
| Pentane (Pen) | 0.4 | 40.0 | ND | 5000 | Ethanol (Ethanol) | 0.4 | 40.0 | ND | 5000 |
| Ethyl Ether (EthEt) | 0.4 | 40.0 | ND | 5000 | Acetone (Acet) | 0.4 | 40.0 | ND | 5000 |
| Isopropanol (2-Pro) | 0.4 | 40.0 | ND | 5000 | Acetonitrile (Acetonit) | 0.4 | 40.0 | ND | 410 |
| Methylene Chloride (MetCh) | 0.4 | 0.8 | ND | 1 | Hexane (Hex) | 0.4 | 40.0 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.4 | 40.0 | ND | 5000 | Chloroform (Clo) | 0.4 | 0.8 | ND | 1 |
| Benzene (Ben) | 0.4 | 0.8 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.4 | 0.8 | ND | 1 |
| Heptane (Hep) | 0.4 | 40.0 | ND | 5000 | Trichloroethylene (TriClEtH) | 0.4 | 0.8 | ND | 1 |
| Toluene (Toluene) | 0.4 | 40.0 | ND | 890 | Xylenes (Xyl) | 0.4 | 40.0 | NT | 2170 |
| O,M,P-Xylene (omp-xyl) | 0.2 | 0.5 | ND | | | | | | |

FVI - Filth & Foreign Material Inspection Analysis **PASS**

Analyzed Jul 17, 2018 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

LBL - Edible and Topical Analysis **PASS**

Analyzed Jul 26, 2018

| Analyte | Claimed mg/mL | Quantified mg/mL | Claimed mg/Unit | Quantified mg/Unit | Delta % |
|-------------|---------------|------------------|-----------------|--------------------|---------|
| Claimed CBD | 20.27 | 18.84 | 300.0 | 278.77 | 7.08 |

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

This Certificate of Analysis has not been finalized and it represents a draft until electronically signed

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
 All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for CCR 14. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.