

PharmLabs San Diego Certificate of Analysis

Sample tangieS PASS

| | | | | | |
|------------|-------|------|--------|------------------------|--------|
| Delta9 THC | 4.51% | THCa | 47.56% | Total THC (THC + THCa) | 52.07% |
|------------|-------|------|--------|------------------------|--------|

COC: fe0f6923-3661-4ace-9f6b-6bc30c1e95da

| | | | | | | | |
|---|--------------------------------|----------|---|-------------|------------------------|------------|----------|
| Sample ID | SD180702-014 (31628) | Matrix | Concentrate (Inhalable Cannabis Good) | Sample Size | 14.0 un | Batch Size | 417.0 un |
| Distributor License | M11-17-0000046-TEMP | Address | 962 87TH AVE, Oakland, CA, 94621 | Name | The Plant LLC | | |
| Cultivator/Manufacturer/Microbusiness License | CDPH-T00000077/CDPH-T00000078 | Address | 5600 West End Road, Suite F, Arcata, CA 95521 | Name | CARE Cooperative, Inc. | | |
| Sampled | Jul 02, 2018 | Received | Jul 02, 2018 | Reported | Jul 20, 2018 | | |
| Analyses executed | CAN, RES, MIBIG, PES, FVI, LBL | | | | | | |

CAN - Cannabinoids Analysis

Analyzed Jul 20, 2018 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoid analysis is approximately 7.806% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g |
|--|----------|----------|----------|-------------|
| Cannabidiolic Acid (CBDA) | 0.001 | 0.16 | 0.18 | 1.76 |
| Cannabigerol (CBG) | 0.001 | 0.16 | 0.32 | 3.24 |
| Cannabidiol (CBD) | 0.001 | 0.16 | ND | ND |
| Cannabinol (CBN) | 0.001 | 0.16 | 0.22 | 2.17 |
| Tetrahydrocannabinol (Δ9-THC) | 0.003 | 0.16 | 4.51 | 45.06 |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.004 | 0.16 | NT | NT |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.16 | NT | NT |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.16 | NT | NT |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | 54.23 | 542.30 |
| Total THC (THCa * 0.877 + Δ9THC) | | | 52.07 | 520.65 |
| Total CBD (CBDA * 0.877 + CBD) | | | 0.15 | 1.54 |
| Total Cannabinoids Analyzed | | | 52.76 | 527.60 |

MIBIG - Microbial Analysis PASS

Analyzed Jul 11, 2018 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD | LOQ | Result CFU/g | Limit | Analyte | LOD | LOQ | Result CFU/g | Limit |
|--|-----|-----|--------------|---------------|---------------------|-----|-----|--------------|---------------|
| Shiga toxin-producing Escherichia Coli | | | ND | ND per 1 gram | Salmonella spp. | | | ND | ND per 1 gram |
| Aspergillus fumigatus | | | ND | ND per 1 gram | Aspergillus flavus | | | ND | ND per 1 gram |
| Aspergillus niger | | | ND | ND per 1 gram | Aspergillus terreus | | | ND | ND per 1 gram |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

This Certificate of Analysis has not been finalized and it represents a draft until electronically signed

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are reported on an "as received" basis, unless indicated otherwise. All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for CCR 1%. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request."

PES - Pesticides Analysis

PASS

Analyzed Jul 16, 2018 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.0078 | 0.02 | ND | 0.0078 | Carbofuran | 0.01 | 0.02 | ND | 0.01 |
| Dimethoate | 0.01 | 0.02 | ND | 0.01 | Etofenprox | 0.02 | 0.1 | ND | 0.02 |
| Fenoxycarb | 0.01 | 0.02 | ND | 0.01 | Thiachloprid | 0.01 | 0.02 | ND | 0.01 |
| Daminozide | 0.01 | 0.03 | ND | 0.01 | Dichlorvos | 0.02 | 0.07 | ND | 0.02 |
| Imazalil | 0.02 | 0.07 | ND | 0.02 | Methiocarb | 0.01 | 0.02 | ND | 0.01 |
| Spiroxamine | 0.01 | 0.02 | ND | 0.01 | Coumaphos | 0.01 | 0.02 | ND | 0.01 |
| Fipronil | 0.01 | 0.1 | ND | 0.01 | Paclobutrazol | 0.01 | 0.03 | ND | 0.01 |
| Chlorpyrifos | 0.01 | 0.04 | ND | 0.01 | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | 0.01 |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | 0.01 | Chlordane | 0.04 | 0.1 | ND | 0.04 |
| Chlorfenapyr | 0.03 | 0.1 | ND | 0.03 | Methyl Parathion | 0.02 | 0.1 | ND | 0.02 |
| Mevinphos | 0.03 | 0.08 | ND | 0.03 | Abamectin | 0.03 | 0.08 | ND | 0.1 |
| Acephate | 0.02 | 0.05 | ND | 0.1 | Acetamiprid | 0.01 | 0.05 | ND | 0.1 |
| Azoxystrobin | 0.01 | 0.02 | ND | 0.1 | Bifenazote | 0.01 | 0.05 | ND | 0.1 |
| Bifenthrin | 0.02 | 0.35 | ND | 3 | Boscalid | 0.01 | 0.03 | ND | 0.1 |
| Carbaryl | 0.01 | 0.02 | ND | 0.5 | Chlorantraniliprole | 0.01 | 0.04 | ND | 10 |
| Clofentezine | 0.01 | 0.03 | ND | 0.1 | Diazinon | 0.01 | 0.02 | ND | 0.1 |
| Dimethomorph | 0.02 | 0.06 | ND | 2 | Etoxazole | 0.01 | 0.05 | ND | 0.1 |
| Fenpyroximate | 0.02 | 0.1 | ND | 0.1 | Flonicamid | 0.01 | 0.02 | ND | 0.1 |
| Fludioxonil | 0.01 | 0.05 | ND | 0.1 | Hexythiazox | 0.01 | 0.03 | ND | 0.1 |
| Imidacloprid | 0.01 | 0.05 | ND | 5 | Kresoxim-methyl | 0.01 | 0.03 | ND | 0.1 |
| Malathion | 0.01 | 0.05 | ND | 0.5 | Metalaxyl | 0.01 | 0.02 | ND | 2 |
| Methomyl | 0.02 | 0.05 | ND | 1 | Myclobutanil | 0.02 | 0.07 | ND | 0.1 |
| Naled | 0.01 | 0.02 | ND | 0.1 | Oxamyl | 0.01 | 0.02 | ND | 0.5 |
| Permethrin | 0.01 | 0.02 | ND | 0.5 | Phosmet | 0.01 | 0.02 | ND | 0.1 |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | 3 | Propiconazole | 0.03 | 0.08 | ND | 0.1 |
| Prallethrin | 0.02 | 0.05 | ND | 0.1 | Pyrethrin | 0.05 | 0.41 | ND | 0.5 |
| Pyridaben | 0.02 | 0.07 | ND | 0.1 | Spinosad A | 0.01 | 0.05 | ND | 0.1 |
| Spinosad D | 0.01 | 0.05 | ND | 0.1 | Spiromesifen | 0.02 | 0.06 | ND | 0.1 |
| Spirotetramat | 0.01 | 0.02 | ND | 0.1 | Tebuconazole | 0.01 | 0.02 | ND | 0.1 |
| Thiamethoxam | 0.01 | 0.02 | ND | 5 | Trifloxystrobin | 0.01 | 0.02 | ND | 0.1 |
| Acequinocyl | 0.02 | 0.09 | ND | 0.1 | Captan | 0.01 | 0.02 | ND | 0.7 |
| Cypermethrin | 0.02 | 0.1 | ND | 1 | Cyfluthrin | 0.04 | 0.1 | ND | 2 |
| Fenhexamid | 0.02 | 0.07 | ND | 0.1 | Spinetoram J.L | 0.02 | 0.07 | ND | 0.1 |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | 0.1 | | | | | |

RES - Residual Solvents Analysis

PASS

Analyzed Jul 16, 2018 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|-------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.4 | 40.0 | ND | 5000 | Butane (But) | 0.4 | 40.0 | 97.4 | 5000 |
| Methanol (Metha) | 0.4 | 40.0 | ND | 3000 | Ethylene Oxide (EthOx) | 0.4 | 0.8 | ND | 1 |
| Pentane (Pen) | 0.4 | 40.0 | ND | 5000 | Ethanol (Ethanol) | 0.4 | 40.0 | ND | 5000 |
| Ethyl Ether (EthEt) | 0.4 | 40.0 | ND | 5000 | Acetone (Acet) | 0.4 | 40.0 | 145.9 | 5000 |
| Isopropanol (2-Pro) | 0.4 | 40.0 | 63.9 | 5000 | Acetonitrile (Acetonit) | 0.4 | 40.0 | ND | 410 |
| Methylene Chloride (MetCh) | 0.4 | 0.8 | ND | 1 | Hexane (Hex) | 0.4 | 40.0 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.4 | 40.0 | ND | 5000 | Chloroform (Clo) | 0.4 | 0.8 | ND | 1 |
| Benzene (Ben) | 0.4 | 0.8 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.4 | 0.8 | ND | 1 |
| Heptane (Hep) | 0.4 | 40.0 | ND | 5000 | Trichloroethylene (TriClIEth) | 0.4 | 0.8 | ND | 1 |
| Toluene (Toluene) | 0.4 | 40.0 | ND | 890 | Xylenes (Xyl) | 0.4 | 40.0 | NT | 2170 |
| O,M,P-Xylene (omp-xyl) | 0.2 | 0.5 | ND | | | | | | |

FVI - Filth & Foreign Material Inspection Analysis

PASS

Analyzed Jul 06, 2018 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

LBL - Edible and Topical Analysis

N/A

Analyzed Jul 20, 2018

| Analyte | Claimed mg/g | Quantified mg/g | Delta % |
|---------|--------------|-----------------|---------|
|---------|--------------|-----------------|---------|

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

This Certificate of Analysis has not been finalized and it represents a draft until electronically signed

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for CCR 1%. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.