SD190124-005 page 1 of 1

PharmLabs San Diego Certificate of Analysis

Sample Rose Bud + CBD

Total THC (THCa * 0.877 + **Δ**9THC)

Total CBD (CBDa * 0.877 + CBD)

Total Cannabinoids Analyzed

Delta9 THC ND THCa ND Total THC (THC + THCa) ND **SD**PharmLabs

ND

0.51

0.51

ND

5.10

5.10

imple ID SD190124-005 (33473)	Ma	rix Topical (Other Cannabis Good)					
ested for INDICANNA WELLNESS							
ampled -	Received Jan 24, 2019	Reported Jan	Reported Jan 25, 2019				
nalyses executed CAN		Unit Mass (g) 29.57					
CAN - Cannabinoids halyzed Jan 25, 2019 Instrument HPL he expanded Uncertainty of the Canna							
nalyte		LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Unit	
annabidiolic Acid (CBDA)		0.001	0.16	ND	ND	ND	
annabigerol (CBG)		0.001	0.16	ND	ND	ND	
annabidiol (CBD)		0.001	0.16	0.51	5.10	150.81	
annabinol (CBN)		0.001	0.16	ND	ND	ND	
etrahydrocannabinol (Δ9-THC)		0.003	0.16	ND	ND	ND	
		0.003	0.16	ND NT	ND NT	ND NT	
etrahydrocannabinol (Δ9-THC)	iR,9S)-Δ10)						
etrahydrocannabinol (Δ9-THC) 8-tetrahydrocannabinol (Δ8-THC)		0.004	0.16	NT	NT	NT	

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Otenctification <LOQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colong forming Units per 1 gram TNTC Too Numerous to Count



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Authorized Signature AFINA D

Karina Pimentel, Laboratory Manager Fri, 25 Jan 2019 17:50:44 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 This report shall got be reproduced except in full, without the written approval of the lab. This report is for informational purpose only and should not be used to plagnage, treat or prevent any disease. Results are only for samples and batches indicated. Results or reported on an 6s received bass, onlies indicated otherwise, when of ass/roll status is reported, that status is intended to be in accordance with deeral, state and local lows which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/rell available upon required. Measurement of uncertainty is not included in the Pass/rell available upon required. Measurement of uncertainty is not included upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/rell available upon required.



QA Testing

ND

150.81

150.81