SD190225-005 page 1 of 1

PharmLabs San Diego Certificate of Analysis

sample Indicanna Calm Formula 250MG CBD

Delta9 THC ND THCa ND Total THC (THC + THCa) ND



Received Feb 25, 2019 Reported Feb 27, 2019							
Unit Volume (mL) 30.0				Density (g/mL) 1.0			
	LOD mg/g	LOQ mg/g	Result %	Result mg/mL	Result mg/Unit	Sample photography	
	0.001	0.16	ND	ND	ND		
	0.001	0.16	ND	ND	ND	•	
	0.001	0.16	0.89	8.91	267.30		
	0.001	0.16	ND	ND	ND		
	0.003	0.16	ND	ND	ND		
	0.004	0.16	NT	NT	NT	K T	
	0.015	0.16	NT	NT	NT		
	0.007	0.16	NT	NT	NT	Six a Court	
	0.001	0.16	ND	ND	ND	The Leaker	
0		Unit Volume (mL) 30.0 OP-001 oproximately \$\vert{3.806\%}\$ at the 95\% Confidence Level	Unit Volume (mL) 30.0 OP-001 oproximately \$7.806% at the 95% Confidence Level LOD mg/g LOQ mg/g 0.001 0.16 0.001 0.16 0.003 0.16 0.004 0.16 0.005 0.16	Unit Volume (mL) 30.0 OP-001 oproximately #7.806% at the 95% Confidence Level Mg/g Mg/g 0.001 0.16 0.001 0.16 0.001 0.16 0.001 0.16 0.001 0.16 0.003 0.16 0.004 0.16 0.005 0.16 0.015 0.16	Unit Volume (mL) 30.0 OP-001 oproximately #7.806% at the 95% Confidence Level LOD mg/g Result mg/mL 0.001 0.16 ND ND 0.003 0.16 ND ND 0.004 0.16 NT NT 0.015 0.16 NT NT	Unit Volume (mL) 30.0 Density (g/mL) 1.0 OP-001 oproximately \$7.806% at the 95% Confidence Level Image: Confidence Level Image: Confidence Level Result Result Result mg/Unit 0.001 0.16 ND ND ND ND 0.003 0.16 ND ND ND ND 0.003 0.16 ND ND ND ND 0.0015 0.16 NT NT NT NT	

0.89

0.89

8.91

8.91

267.30

267.30

Total CBD (CBDa * 0.877 + CBD) Total Cannabinoids Analyzed

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Otenctification <LOQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colong forming Units per 1 gram TNTC Too Numerous to Count



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 27 Feb 2019 17:27:06 -0800



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1
This report shall got be exprded ascept in full, without the artifter approval of the lab. This report is for informational percession and advected accept in the information and botches indicated. Accepted
the Pass/Fail evaluation unless ending of the lab. This report is for information and botches indicated. Accepted
the Pass/Fail evaluation of the same fail evaluation of the sa