SD180628-026 page 1 of 1

PharmLabs San Diego Certificate of Analysis

Sample **1**

Tetrahydrocannabinol (∆9-THC)

Δ8-tetrahydrocannabinol (Δ8-THC)

Tetrahydrocannabinolic Acid (THCA)

Total THC (THCa * 0.877 + **Δ**9THC)

Total CBD (CBDa * 0.877 + CBD)

Total Cannabinoids Analyzed

(6aR,9S)- Δ 10-Tetrahydrocannabinol ((6aR,9S)- Δ 10)

(6aR,9R)- Δ 10-Tetrahydrocannabinol ((6aR,9R)- Δ 10)



Sample ID SD180628-026 (31593)	Matrix Ca	ncentrate (Inhalable Cannabis Good)			
Tested for Miracle					
Sampled -	Received Jun 28, 2018	Reported Jul 06, 2018			
Analyses executed CAN					
CAN - Cannabinoids Analyzed Jul 06, 2018 Instrument HPLC	C-VWD Method SOP-001				
Analyzed Jul 06, 2018 Instrument HPLC The expanded Uncertainty of the Cannal	C-VWD Method SOP-001 binoid analysis is approximately J.806% at the 95% Confidence Level		100	Posult	Posult
Analyzed Jul 06, 2018 Instrument HPLC	C-VWD Method SOP-001	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Analyzed Jul 06, 2018 Instrument HPLC The expanded Uncertainty of the Cannal Analyte	C-VWD Method SOP-001				
nalyzed Jul 06, 2018 Instrument HPLC 'he expanded Uncertainty of the Cannal Analyte Cannabidiolic Acid (CBDA)	C-VWD Method SOP-001	mg/g	mg/̃g	%	mg/g
Analyzed Jul 06, 2018 Instrument HPLC The expanded Uncertainty of the Cannal	C-VWD Method SOP-001	mg/g 0.001	mg/g 0.16	% 1.07	mg/g 10.72

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Otenctification <LOQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colong Forming Units per 1 gram TNTC Too Numerous to Count



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



0.003

0.004

0.015

0.007

0.001

0.16

0.16

0.16

0.16

0.16

17.60

NT

NT

NT

NT

17.60

52.47

71.22

Authorized Signature

Jaclyn Mauser - Lab Director Fri, 06 Jul 2018 17:54:21 -0700

QA Testing

176.02

NT

NT

NT

NT

176.02

524.70

712.18

SDPharmLabs

CANNABIS LABORATORY LIMS & ELN

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 "This report shall got be reproduced except in full, without the written approval of the lab. This report is for informational europase only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an 'as received' bask, vinies indicated onlywides, when a Mask/rail status is reported, that status is intended to be in accordance with reported for the customer to be in compliance. The measurement of uncertainty is ovaluation unless applications uncertainty is ovaluation uncertainty