SD190117-016 page 1 of 1

QA Testing

DPharmLabs

PharmLabs San Diego Certificate of Analysis

Sample Skywalker

Delta9 THC 4.43% THCa 76.74% Total THC (THC + THCa) 81.17%

Delita The 4.43%		a) 01.1778	
Sample ID SD190117-016 (32530)		Matrix Concentrate (Inhalable Cannabis Good)	
Distributor License C11-0001157-LIC		Address 2115 Willow rd suite E, Arroyo Grande	Name Reroc, LLC
Cultivator/Manufacturer/Microbusiness	License CCL18-0000691	Address 15697 Foster Mountain Rd, Willits, CA	Name Lazy Moon Ranch, LLC
Sampled -	Received Jan 17, 2019	Reported Jan 18, 2019	
An always average of CAN			

Sampled -Analyses executed CAN

CAN - Cannabinoids Analysis Analyzed Jan 18, 2019 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately #.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	0.43	4.30
Cannabidiol (CBD)	0.001	0.16	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabinol (CBN)	0.001	0.16	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	4.43	44.30
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	NT	NT
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	NT	NT
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	NT	NT
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	87.50	875.00
Total THC (THCa * 0.877 + Δ9THC)			81.17	811.68
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total Cannabinoids Analyzed			81.60	815.98

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected AUQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Authorized Signature AFINA

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

Karina Pimentel, Laboratory Manager Fri, 18 Jan 2019 17:59:45 -0800



This report shall got be reproduced except in full, without the written approval of the lab. This report is for informational purpose only and should not be used to plagnage, treat or prevent any disease. Results are only for samples and batches indicated. Results or reported on an 6s received bass, onlies indicated otherwise, when a disease the state of the customer to be in compliance. The measurement of uncertainty is ontincible upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is reported. Results are reported on uncertainty is not included upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is reported. Results are reported on uncertainty is not included upon required to the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance and the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the Pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status is intended to be in compliance. The measurement of uncertainty is not included in the pass/Fail status