SD210507-015 page 1 of 1

PharmLabs San Diego Certificate of Analysis

Sample 108-3



Total THC (THC + THCa) ND Sample ID SD210507-015 (42495) Tested for Latro inc Matrix Distillate - NI (Other Cannabis Good) Reported May 10, 2021 Sampled -Received May 07, 2021 Analyses executed CAN+

Delta8 THC 97.53%

CAN+ - Cannabinoids Analysis Analyzed May 10, 2021 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately **3**.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Sample photography
Cannabidivarin (CBDV)	0.039	0.16	ND	ND	
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND	
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND	
Cannabigerol (CBG)	0.001	0.16	ND	ND	
Cannabidiol (CBD)	0.001	0.16	ND	ND	
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND	108-3
Cannabinol (CBN)	0.001	0.16	ND	ND	
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	ND	ND	
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	97.53	975.29	
Cannabicyclol (CBL)	0.002	0.16	ND	ND	-
Cannabichromene (CBC)	0.002	0.16	ND	ND	
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	
Total THC (THCa * 0.877 + Δ9THC)			ND	ND	
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			97.53	975.29	
Total CBD (CBDa * 0.877 + CBD)			ND	ND	
Total CBG (CBGa * 0.877 + CBG)			ND	ND	
Total Cannabinoids Analyzed			97.53	975.29	

Pharm//are CANNABIS LABORATORY LIMS & ELN



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Authorized Signature

Dr. Lia Prevedello, Laboratory Direct Mon, 10 May 2021 18:24:30 -0700

QA Testing



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 This report shall go to repord care to full, whout the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent and disease. Results are only for samples and batches indicated. Results are reported on an os received basi, unless indicated otherwise, when a drass/fail status is reported, that status is intended to be in accordance with dedrail, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is ownich are required for the customer to be in compliance. The measurement of uncertainty is not included in the bas/fail available upon required. Measurement of uncertainty is not included in the restricted to the customer to be in compliance. The measurement of uncertainty is not included in the bas/fail available upon required.