

Delta9 THC 9.44%

Total THC (THCa \* 0.877 + THC) **9.44%**

Matrix Concentrate

Received Jun 03, 2015

Tested for	Sampled -

Reported Jun 03, 2015

Analyses executed CAN+

## | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoids analysis is approximately  $\pm 7.81\%$  at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	NT	NT
Cannabidiol (CBD)	0.011	0.03	NT	NT
Cannabidiolol (CBDa)	0.033	0.16	NT	NT
Cannabigerolol (CBGA)	0.033	0.16	NT	NT
Cannabigerol (CBG)	0.048	0.16	NT	NT
Cannabidiol (CBD)	0.069	0.229	29.31	293.08
Tetrahydrocannabivarin (THCV)	0.049	0.16	NT	NT
Cannabinol (CBN)	0.047	0.16	0.41	4.11
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	9.44	94.36
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	NT	NT
Cannabicyclol (CBL)	0.0012	0.16	NT	NT
Cannabichromene (CBC)	0.13	0.432	NT	NT
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	NT	NT
Total THC (THCa * 0.877 + Δ9THC)			9.44	94.36
Total Cannabinoids Analyzed			39.15	391.54



**PJLA**  
Testing  
Acc. #85368



Authorized Signature \_\_\_\_\_

Greg Magdoft

Greg Magdoff - QA Manager  
Wed, 03 Jun 2015 13:01:29 -0700

PharmLabs San Diego | 3421 Hancock St. Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.