130320-002 page 1 of 1

PharmLabs San Diego Certificate of Analysis

Sample Fire OG

Delta9 THC 20.63% Total THC (THC + THCa) 20.63%

ample ID 130320-002 (549)	Matrix Flower (Inhalable Cannabis Good)					
ested for SoHum Clones						
ampled -	Received Mar 20, 2013	Reported Oct 28, 20	Reported Oct 28, 2014			
nalyses executed CAN+						
CAN+ - Cannabino Instrument HPLC-VWD Method SOP he expanded Uncertainty of the Canno						
Analyte		LOD mg/g	LOQ mg/g	Result %	Result mg/g	
Cannabidivarin (CBDV)		0.039	0.16	NT	NT	
Cannabidiolic Acid (CBDA)		0.001	0.16	NT	NT	
Cannabigerol Acid (CBGA)		0.001	0.16	NT	NT	
Cannabigerol (CBG)		0.001	0.16	NT	NT	
Cannabidiol (CBD)		0.001	0.16	0.31	3.10	
Fetrahydrocannabivarin (THCV)		0.001	0.16	NT	NT	
retrangarocannabivarin (THCV)		0.001	0.16	0.05	0.50	
		0.001	0.10	0.05		
Cannabinol (CBN) Tetrahydrocannabinol (Δ9-THC)		0.001	0.16	20.63	206.30	

0.002

0.002

0.001

0.16

0.16

0.16

NT

NT

NT

20.63

20.99

Cannabichromene (CBC) Tetrahydrocannabinolic Acid (THCA) Total THC (THCa * 0.877 + Δ9THC) Total Cannabinoids Analyzed

Cannabicyclol (CBL)

*Dry Weight %

NT

NT

NT 206.30

209.90

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected AUQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Greg Magdo

Greg Magdoff - QA Manager Tue, 28 Oct 2014 17:35:37 -0700

QA Testing

SDPharmLabs



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 This report shall got be reproduced except in Mul, without the artiting approval of the lab. This report is for informational encroses only one dependence to glogrape, treat or prevent, any decose. Results are only for samples and botches indicated. Results are reported the Pass/Fail exception on the sample information of the lab. This report is for information of the encroses only one dependence to glogrape. The results are only for samples and botches indicated. Results are reported the Pass/Fail exception of the sample information of the encroses only one dependence to be an opported in the encryption of the encr