

PharmLabs San Diego Certificate of Analysis



Sample Everything 420 Delta 8 Blunt - 2000mg

Summary table with values: Delta9 THC 0.75%, THCa 0.03%, Total THC (THC + THCa) 0.78%, Delta8 THC 2.95%

Sample ID, Matrix, Tested for, Sampled, Received, Reported, Analyses executed

Summary D9C: The total Δ9-THC content in this sample is 0.75%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference...

D9C - D9 Confirmation Analysis


Analyzed Feb 29, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the analysis is approximately ±7.806% at the 95% Confidence Level

Table with 5 columns: Analyte, LOD mg/g, LOQ mg/g, Result %, Result mg/g. Row for Δ9-Tetrahydrocannabinol (Δ9-THC) shows 0.387 LOD, 1.174 LOQ, 0.75% Result, 7.47 mg/g.

CANX - Cannabinoids Analysis

Analyzed Feb 28, 2024 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoid analysis is approximately ±7.81% at the 95% Confidence Level

Large table listing various cannabinoids (THC, CBD, CBG, etc.) with columns for LOD, LOQ, Result %, and Result mg/g.



*Dry Weight %

MWA - Moisture Content & Water Activity Analysis

Analyzed Feb 27, 2024 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Table with 10 columns: Analyte, LOD %, LOQ %, Result, Limit, Analyte, LOD %, LOQ %, Result, Limit. Row for Moisture (Moi) shows 7.4 % Mw and Water Activity (WA) shows 0.53 a_w.

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Handwritten signature: Brandon Starr

Brandon Starr, Lab Manager
Thu, 29 Feb 2024 15:53:29 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.